

10/047,592

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 7 May 2004 VOL 140 ISS 20  
FILE LAST UPDATED: 6 May 2004 (20040506/ED)

This file contains CAS Registry Numbers for easy and accurate substance identification.

=> s 12

L3 4 L2

=> d 13 1-4 ibib abs hitstr

L3 ANSWER 1 OF 4 CAPLUS COPYRIGHT 2004 ACS on STN  
ACCESSION NUMBER: 2003:875294 CAPLUS  
DOCUMENT NUMBER: 139:364955  
TITLE: Preparation of triaryl-oxy-aryl-spiro-pyrimidinetrione metalloproteinase inhibitors selective towards MMP-13  
INVENTOR(S): Freeman-cook, Kevin Daniel; Noe, Mark Carl  
PATENT ASSIGNEE(S): Pfizer Products Inc., USA  
SOURCE: PCT Int. Appl., 92 pp.  
CODEN: PIXXD2  
DOCUMENT TYPE: Patent  
LANGUAGE: English  
FAMILY ACC. NUM. COUNT: 1  
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2003091259	A1	20031106	WO 2003-IB1576	20030415
WO 2003091259	C1	20040212		
W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM			
RW:	GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG			

US 2003225056 A1 20031204 US 2003-423671 20030425

PRIORITY APPLN. INFO.: US 2002-376157P P 20020426

OTHER SOURCE(S): MARPAT 139:364955

GI

10/423,671

obv d/f



\* STRUCTURE DIAGRAM TOO LARGE FOR DISPLAY - AVAILABLE VIA OFFLINE PRINT \*

- AB The present invention relates to triaryl-oxy-aryl-spiro-pyrimidinetrione metalloproteinase inhibitors (shown as I; variables defined below; e.g. II) and to pharmaceutical compns. and methods of treating inflammation, cancer and other disorders. For I: ; ring X is a 5-7 membered heterocyclic ring; A is (C6-C10)aryl or (C1-C10)heteroaryl; Y = a bond, -O-, -S-, >C:O, >SO2, >S:O, -CH2O-, -OCH2-, -CH2S-, -SCH2-, -CH2SO-, -CH2SO2-, -SOCH2-, -SO2CH2-, >NR14, -[N(R14)]CH2-, -CH2[N(R14)]-, -CH2-, -CH:CH-, -C.tplbond.C-, -[N(R14)]SO2- and -SO2[N(R14)]-; B is (C6-C10)aryl, (C3-C7)cycloalkyl, (C1-C10)heterocyclyl and (C1-C10)heteroaryl; G is -R15(CR16R17)p-; p = 0-4; W is (C1-C4)alkoxy(C1-C4)alkyl, (C3-C7)cycloalkyl, (C6-C10)aryl, (C1-C10)heteroaryl and (C1-C10)heterocyclyl; addnl. details including provisos are given in the claims. General semiquant. statements are made about inhibition of metalloproteinases by I; no data is presented for specific examples of I; some I exhibit selectivity towards MMP-13 relative to other metalloproteinases but they are not identified. Although the methods of preparation are not claimed, example preps. of 5 I are included.
- IT **620971-38-2P**, 1-[6-[4-[4-(4-Fluorophenyl)oxazol-2-yl]phenoxy]pyridin-3-yl]-1,7,9-triazaspiro[4.5]decane-6,8,10-trione  
**620971-44-0P**, 4-[2-[4-[[5-(6,8,10-Trioxo-1,7,9-triazaspiro[4.5]dec-1-yl)pyridin-2-yl]oxy]phenyl]oxazol-4-yl]benzonitrile **620971-47-3P**, 3-[2-[4-[[5-(6,8,10-Trioxo-1,7,9-triazaspiro[4.5]dec-1-yl)pyridin-2-yl]oxy]phenyl]oxazol-4-yl]benzonitrile **620971-50-8P**, 1-[6-[4-[4-(2-Fluorophenyl)oxazol-2-yl]phenoxy]pyridin-3-yl]-1,7,9-triazaspiro[4.5]decane-6,8,10-trione **620971-52-0P**, 1-[6-[4-[4-(3-Fluorophenyl)oxazol-2-yl]phenoxy]pyridin-3-yl]-1,7,9-triazaspiro[4.5]decane-6,8,10-trione  
 RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)  
 (drug candidate; preparation of triaryl-oxy-aryl-spiro-pyrimidinetrione metalloproteinase inhibitors selective towards MMP-13)
- RN **620971-38-2 CAPLUS**
- CN 1,7,9-Triazaspiro[4.5]decane-6,8,10-trione, 1-[6-[4-[4-(4-fluorophenyl)-2-oxazolyl]phenoxy]-3-pyridinyl]- (9CI) (CA INDEX NAME)



A-Y-B-A-W  
1

nr

X-1-2-9  
1





RN 620971-44-0 CAPLUS  
 CN Benzonitrile, 4-[2-[4-[[5-(6,8,10-trioxo-1,7,9-triazaspiro[4.5]dec-1-yl)-2-pyridinyl]oxy]phenyl]-4-oxazolyl]- (9CI) (CA INDEX NAME)





RN 620971-47-3 CAPLUS

CN Benzonitrile, 3-[2-[4-[[5-(6,8,10-trioxo-1,7,9-triazaspiro[4.5]dec-1-yl)-2-pyridinyl]oxy]phenyl]-4-oxazolyl]- (9CI) (CA INDEX NAME)





RN 620971-50-8 CAPLUS

CN 1,7,9-Triazaspiro[4.5]decane-6,8,10-trione, 1-[6-[4-[4-(2-fluorophenyl)-2-oxazolyl]phenoxy]-3-pyridinyl]- (9CI) (CA INDEX NAME)



RN 620971-52-0 CAPLUS  
 CN 1,7,9-Triazaspiro[4.5]decane-6,8,10-trione, 1-[6-[4-[4-(3-fluorophenyl)-2-oxazolyl]phenoxy]-3-pyridinyl]- (9CI) (CA INDEX NAME)



REFERENCE COUNT: 2 THERE ARE 2 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L3 ANSWER 2 OF 4 CAPLUS COPYRIGHT 2004 ACS on STN  
ACCESSION NUMBER: 2003:875293 CAPLUS  
DOCUMENT NUMBER: 139:364954  
TITLE: Preparation of N-substituted-heteroaryloxy-aryl-spiro-pyrimidinetrione metalloproteinase inhibitors selective towards MMP-13  
INVENTOR(S): Noe, Mark Carl; Freeman-cook, Kevin Daniel  
PATENT ASSIGNEE(S): Pfizer Products Inc., USA  
SOURCE: PCT Int. Appl., 86 pp.  
CODEN: PIXXD2  
DOCUMENT TYPE: Patent  
LANGUAGE: English  
FAMILY ACC. NUM. COUNT: 1  
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2003091258	A1	20031106	WO 2003-IB1508	20030415

obv d.p.

W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM  
 RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG

US 2004010141 A1 20040115 US 2003-423779 20030425

PRIORITY APPLN. INFO.: US 2002-376159P P 20020426

OTHER SOURCE(S): MARPAT 139:364954

GI

10/423,779

\* STRUCTURE DIAGRAM TOO LARGE FOR DISPLAY - AVAILABLE VIA OFFLINE PRINT \*

AB The present invention relates to N-substituted-heteroaryloxy-aryl-spiro-pyrimidine-2,4,6-trione metalloproteinase inhibitors (shown as I; variables defined below; e.g. II) and to pharmaceutical compns. and methods of treating inflammation, cancer and other disorders. For I: ; ring X is a 5-7 membered heterocyclic ring; A is (C6-C10)aryl or (C2-C10)heteroaryl; Y = a bond, -O-, -S-, >C=O, >SO2, >S=O, -CH2O-, -OCH2-, -CH2S-, -SCH2-, -CH2SO-, -CH2SO2-, -SOCH2-, -SO2CH2-, >NR14, -[N(R14)]CH2-, -CH2[N(R14)]-, -CH2-, -CH=CH-, -C.tplbond.C-, -[N(R14)]SO2- and -SO2[N(R14)]-; B is a heterocyclyl containing at least one N atom; wherein one ring N atom of B is bonded to one C atom of G; G is (C1-C6)alkyl or R15-(CR16R17)p-; p = 0-4; addnl. details including provisos are given in the claims. General semiquant. statements are made about inhibition of metalloproteinases by I; no data is presented for specific examples of I; some I exhibit selectivity towards MMP-13 relative to other metalloproteinases but they are not identified. Although the methods of preparation are not claimed, example preps. of 4 I are included.

IT **620965-06-2P**, 1-[6-[[1-(4-Fluorophenyl)-1H-indazol-5-yl]oxy]pyridin-3-yl]-1,7,9-triazaspiro[4.5]decane-6,8,10-trione  
**620965-13-1P**, 4-[5-[[5-(6,8,10-Trioxo-1,7,9-triazaspiro[4.5]dec-1-yl)pyridin-2-yl]oxy]indazol-1-yl]benzonitrile **620965-19-7P**, 1-[6-[[1-(Pyridin-3-yl)-1H-indazol-5-yl]oxy]pyridin-3-yl]-1,7,9-triazaspiro[4.5]decane-6,8,10-trione **620965-26-6P**, 1-[6-[[1-Methyl-1H-indazol-5-yl]oxy]pyridin-3-yl]-1,7,9-triazaspiro[4.5]decane-6,8,10-trione **620965-33-5P**, 1-[6-[[1-Isopropyl-1H-indazol-5-yl]oxy]pyridin-3-yl]-1,7,9-triazaspiro[4.5]decane-6,8,10-trione **620965-35-7P**, 1-[6-[[2-Isopropyl-2H-indazol-5-yl]oxy]pyridin-3-yl]-1,7,9-triazaspiro[4.5]decane-6,8,10-trione **620965-36-8P**, 4-[5-[[5-(6,8,10-Trioxo-1,7,9-triazaspiro[4.5]dec-1-yl)pyridin-2-yl]oxy]indazol-2-yl]benzonitrile **620965-38-0P**, 1-[6-[[2-(2-Hydroxyethyl)-1-oxo-2,3-dihydro-1H-isoindol-5-yl]oxy]pyridin-3-yl]-1,7,9-triazaspiro[4.5]decane-6,8,10-trione **620965-39-1P**, 1-[6-[[2-(2-Ethoxyethyl)-1-oxo-2,3-dihydro-1H-isoindol-5-yl]oxy]pyridin-3-yl]-1,7,9-triazaspiro[4.5]decane-6,8,10-trione **620965-40-4P**, 1-[6-[[2-(4-Fluorophenyl)-1,2,3,4-tetrahydroisoquinolin-6-yl]oxy]pyridin-3-yl]-1,7,9-triazaspiro[4.5]decane-6,8,10-trione **620965-41-5P**, 1-[6-[[1-(4-Fluorophenyl)-1,2,3,4-tetrahydroquinolin-6-yl]oxy]pyridin-3-yl]-1,7,9-triazaspiro[4.5]decane-6,8,10-trione **620965-42-6P**, 1-[6-[[1-(4-Fluorophenyl)-2,3-dihydro-1H-indol-5-yl]oxy]pyridin-3-yl]-1,7,9-triazaspiro[4.5]decane-6,8,10-trione **620965-43-7P**,



1-[6-[[2-(Pyridin-3-yl)-2H-indazol-5-yl]oxy]pyridin-3-yl]-1,7,9-  
 triazaspiro[4.5]decane-6,8,10-trione **620965-44-8P**,  
 1-[6-[[2-(4-Fluorophenyl)-2,3-dihydro-1H-isoindol-5-yl]oxy]pyridin-3-yl]-  
 1,7,9-triazaspiro[4.5]decane-6,8,10-trione **620965-45-9P**,  
 1-[6-[[1-(Pyridin-3-yl)-2,3-dihydro-1H-indol-5-yl]oxy]pyridin-3-yl]-1,7,9-  
 triazaspiro[4.5]decane-6,8,10-trione **620965-46-0P**,  
 1-[6-[[2-(4-Fluorophenyl)-2H-indazol-5-yl]oxy]pyridin-3-yl]-1,7,9-  
 triazaspiro[4.5]decane-6,8,10-trione **620965-47-1P**,  
 1-[6-[[1-(4-Fluorophenyl)-2,3,4,5-tetrahydro-1H-benzo[b]azepin-7-  
 yl]oxy]pyridin-3-yl]-1,7,9-triazaspiro[4.5]decane-6,8,10-trione  
**620965-48-2P**, 1-[6-[[1-(4-Fluorophenyl)-1H-benzimidazol-5-  
 yl]oxy]pyridin-3-yl]-1,7,9-triazaspiro[4.5]decane-6,8,10-trione  
**620965-49-3P**, 6-[7-[[5-(6,8,10-Trioxo-1,7,9-triazaspiro[4.5]dec-1-  
 yl)pyridin-2-yl]oxy]-2,3,4,5-tetrahydrobenzo[b]azepin-1-yl]nicotinonitrile  
**620965-50-6P**, 6-[5-[[5-(6,8,10-Trioxo-1,7,9-triazaspiro[4.5]dec-1-  
 yl)pyridin-2-yl]oxy]-2,3-dihydroindol-1-yl]nicotinonitrile  
**620965-51-7P**, 1-[6-[[2-(Pyridin-3-yl)-2,3-dihydro-1H-isoindol-5-  
 yl]oxy]pyridin-3-yl]-1,7,9-triazaspiro[4.5]decane-6,8,10-trione  
**620965-52-8P**, 6-[6-[[5-(6,8,10-Trioxo-1,7,9-triazaspiro[4.5]dec-1-  
 yl)pyridin-2-yl]oxy]-3,4-dihydro-2H-quinolin-1-yl]nicotinonitrile  
**620965-53-9P**, 1-[6-[[1-(Pyridin-4-yl)-2,3,4,5-tetrahydro-1H-  
 benzo[b]azepin-7-yl]oxy]pyridin-3-yl]-1,7,9-triazaspiro[4.5]decane-6,8,10-  
 trione **620965-54-0P**, 1-[6-[[1-(Pyridin-3-yl)-2,3,4,5-tetrahydro-  
 1H-benzo[b]azepin-7-yl]oxy]pyridin-3-yl]-1,7,9-triazaspiro[4.5]decane-  
 6,8,10-trione **620965-55-1P**, 6-[6-[[5-(6,8,10-Trioxo-1,7,9-  
 triazaspiro[4.5]dec-1-yl)pyridin-2-yl]oxy]-3,4-dihydro-1H-isoquinolin-2-  
 yl]nicotinonitrile **620965-56-2P**, 6-[5-[[5-(6,8,10-Trioxo-1,7,9-  
 triazaspiro[4.5]dec-1-yl)pyridin-2-yl]oxy]-1,3-dihydroisoindol-2-  
 yl]nicotinonitrile **620965-57-3P**, 6-[5-[[5-(6,8,10-Trioxo-1,7,9-  
 triazaspiro[4.5]dec-1-yl)pyridin-2-yl]oxy]indazol-1-yl]nicotinonitrile  
**620965-58-4P**, 6-[5-[[5-(6,8,10-Trioxo-1,7,9-triazaspiro[4.5]dec-1-  
 yl)pyridin-2-yl]oxy]indazol-2-yl]nicotinonitrile **620965-59-5P**,  
 1-[6-[[2-(Pyridin-4-yl)-2,3-dihydro-1H-isoindol-5-yl]oxy]pyridin-3-yl]-  
 1,7,9-triazaspiro[4.5]decane-6,8,10-trione **620965-60-8P**,  
 1-[6-[[1-(Pyridin-4-yl)-1H-benzimidazol-5-yl]oxy]pyridin-3-yl]-1,7,9-  
 triazaspiro[4.5]decane-6,8,10-trione **620965-61-9P**,  
 1-[6-[[2-(Pyridin-4-yl)-1,2,3,4-tetrahydroisoquinolin-6-yl]oxy]pyridin-3-  
 yl]-1,7,9-triazaspiro[4.5]decane-6,8,10-trione **620965-62-0P**,  
 1-[6-[[2-(Pyridin-3-yl)-1,2,3,4-tetrahydroisoquinolin-6-yl]oxy]pyridin-3-  
 yl]-1,7,9-triazaspiro[4.5]decane-6,8,10-trione **620965-63-1P**,  
 1-[6-[[1-(Pyridin-4-yl)-2,3-dihydro-1H-indol-5-yl]oxy]pyridin-3-yl]-1,7,9-  
 triazaspiro[4.5]decane-6,8,10-trione **620965-64-2P**,  
 1-[6-[[1-(Pyridin-4-yl)-1H-indazol-5-yl]oxy]pyridin-3-yl]-1,7,9-  
 triazaspiro[4.5]decane-6,8,10-trione **620965-65-3P**,  
 1-[6-[[1-(Pyridin-3-yl)-1H-benzimidazol-5-yl]oxy]pyridin-3-yl]-1,7,9-  
 triazaspiro[4.5]decane-6,8,10-trione **620965-66-4P**,  
 1-[6-[[1-(Pyridin-4-yl)-1,2,3,4-tetrahydroquinolin-6-yl]oxy]pyridin-3-yl]-  
 1,7,9-triazaspiro[4.5]decane-6,8,10-trione **620965-67-5P**,  
 1-[6-[[2-(Pyridin-4-yl)-2H-indazol-5-yl]oxy]pyridin-3-yl]-1,7,9-  
 triazaspiro[4.5]decane-6,8,10-trione **620965-68-6P**,  
 1-[6-[[1-(Pyridin-3-yl)-1,2,3,4-tetrahydroquinolin-6-yl]oxy]pyridin-3-yl]-  
 1,7,9-triazaspiro[4.5]decane-6,8,10-trione **620965-69-7P**,  
 1-[6-[[2-(p-Tolyl)-2H-indazol-5-yl]oxy]pyridin-3-yl]-1,7,9-  
 triazaspiro[4.5]decane-6,8,10-trione **620965-70-0P**,  
 1-[6-[[2-(p-Tolyl)-2,3-dihydro-1H-isoindol-5-yl]oxy]pyridin-3-yl]-1,7,9-  
 triazaspiro[4.5]decane-6,8,10-trione **620965-71-1P**,  
 1-[6-[[2-(4-Chlorophenyl)-2H-indazol-5-yl]oxy]pyridin-3-yl]-1,7,9-  
 triazaspiro[4.5]decane-6,8,10-trione **620965-72-2P**,  
 1-[6-[[2-(4-Chlorophenyl)-2,3-dihydro-1H-isoindol-5-yl]oxy]pyridin-3-yl]-  
 1,7,9-triazaspiro[4.5]decane-6,8,10-trione **620965-73-3P**,

1-[6-[[2-(Pyridin-2-yl)-2H-indazol-5-yl]oxy]pyridin-3-yl]-1,7,9-  
 triazaspiro[4.5]decane-6,8,10-trione **620965-74-4P**,  
 1-[6-[[2-(Pyridin-2-yl)-2,3-dihydro-1H-isoindol-5-yl]oxy]pyridin-3-yl]-  
 1,7,9-triazaspiro[4.5]decane-6,8,10-trione **620965-75-5P**,  
 1-[6-[[2-(3-Methoxypropyl)-2H-indazol-5-yl]oxy]pyridin-3-yl]-1,7,9-  
 triazaspiro[4.5]decane-6,8,10-trione **620965-76-6P**,  
 1-[6-[[2-(Pyridazin-3-yl)-2H-indazol-5-yl]oxy]pyridin-3-yl]-1,7,9-  
 triazaspiro[4.5]decane-6,8,10-trione **620965-77-7P**,  
 1-[6-[(1-Isopropyl-2,3-dihydro-1H-indol-5-yl)oxy]pyridin-3-yl]-1,7,9-  
 triazaspiro[4.5]decane-6,8,10-trione **620965-78-8P**,  
 1-[6-[(1-Isopropyl-1H-benzimidazol-5-yl)oxy]pyridin-3-yl]-1,7,9-  
 triazaspiro[4.5]decane-6,8,10-trione **620965-79-9P**,  
 1-[6-[(2-Isopropyl-2,3-dihydro-1H-isoindol-5-yl)oxy]pyridin-3-yl]-1,7,9-  
 triazaspiro[4.5]decane-6,8,10-trione **620965-80-2P**,  
 1-[6-[[2-(Pyridin-2-yl)-1,2,3,4-tetrahydroisoquinolin-6-yl]oxy]pyridin-3-  
 yl]-1,7,9-triazaspiro[4.5]decane-6,8,10-trione **620965-81-3P**,  
 1-[6-[[2-(Pyridazin-3-yl)-1,2,3,4-tetrahydroisoquinolin-6-yl]oxy]pyridin-3-  
 yl]-1,7,9-triazaspiro[4.5]decane-6,8,10-trione **620965-82-4P**,  
 1-[6-[(2-Isopropyl-1,2,3,4-tetrahydroisoquinolin-6-yl)oxy]pyridin-3-yl]-  
 1,7,9-triazaspiro[4.5]decane-6,8,10-trione **620965-83-5P**,  
 1-[6-[[2-(Pyridazin-3-yl)-2,3-dihydro-1H-isoindol-5-yl]oxy]pyridin-3-yl]-  
 1,7,9-triazaspiro[4.5]decane-6,8,10-trione **620965-84-6P**,  
 1-[6-[[2-(3-Methoxypropyl)-2,3-dihydro-1H-isoindol-5-yl]oxy]pyridin-3-yl]-  
 1,7,9-triazaspiro[4.5]decane-6,8,10-trione **620965-85-7P**,  
 1-[6-[[2-(3-Methoxypropyl)-1,2,3,4-tetrahydroisoquinolin-6-yl]oxy]pyridin-  
 3-yl]-1,7,9-triazaspiro[4.5]decane-6,8,10-trione **620965-86-8P**,  
 1-[6-[[2-(4-Methoxyphenyl)-2H-indazol-5-yl]oxy]pyridin-3-yl]-1,7,9-  
 triazaspiro[4.5]decane-6,8,10-trione **620965-87-9P**,  
 1-[6-[(1-Isopropyl-1,2,3,4-tetrahydroquinolin-6-yl)oxy]pyridin-3-yl]-1,7,9-  
 triazaspiro[4.5]decane-6,8,10-trione **620965-88-0P**,  
 1-[6-[[1-(3-Methoxypropyl)-1,2,3,4-tetrahydroquinolin-6-yl]oxy]pyridin-3-  
 yl]-1,7,9-triazaspiro[4.5]decane-6,8,10-trione **620965-89-1P**,  
 1-[6-[[1-(Pyridin-2-yl)-2,3,4,5-tetrahydro-1H-benzo[b]azepin-7-  
 yl]oxy]pyridin-3-yl]-1,7,9-triazaspiro[4.5]decane-6,8,10-trione  
**620965-90-4P**, 1-[6-[[1-(Pyridazin-3-yl)-2,3,4,5-tetrahydro-1H-  
 benzo[b]azepin-7-yl]oxy]pyridin-3-yl]-1,7,9-triazaspiro[4.5]decane-6,8,10-  
 trione **620965-91-5P**, 1-[6-[(1-Isopropyl-2,3,4,5-tetrahydro-1H-  
 benzo[b]azepin-7-yl)oxy]pyridin-3-yl]-1,7,9-triazaspiro[4.5]decane-6,8,10-  
 trione **620965-92-6P**, 1-[6-[[2-(p-Tolyl)-1,2,3,4-  
 tetrahydroisoquinolin-6-yl]oxy]pyridin-3-yl]-1,7,9-triazaspiro[4.5]decane-  
 6,8,10-trione **620965-93-7P**, 1-[6-[[1-(4-Methoxyphenyl)-2,3,4,5-  
 tetrahydro-1H-benzo[b]azepin-7-yl]oxy]pyridin-3-yl]-1,7,9-  
 triazaspiro[4.5]decane-6,8,10-trione **620965-94-8P**,  
 1-[6-[[2-(4-Chlorophenyl)-1,2,3,4-tetrahydroisoquinolin-6-yl]oxy]pyridin-3-  
 yl]-1,7,9-triazaspiro[4.5]decane-6,8,10-trione **620965-95-9P**,  
 4-[6-[[5-(6,8,10-Trioxo-1,7,9-triazaspiro[4.5]dec-1-yl)pyridin-2-yl]oxy]-  
 3,4-dihydro-1H-isoquinolin-2-yl]benzonitrile **620965-96-0P**,  
 4-[5-[[5-(6,8,10-Trioxo-1,7,9-triazaspiro[4.5]dec-1-yl)pyridin-2-yl]oxy]-  
 2,3-dihydroindol-1-yl]benzonitrile **620965-97-1P**,  
 1-[6-[[1-(4-Methoxyphenyl)-1H-benzimidazol-5-yl]oxy]pyridin-3-yl]-1,7,9-  
 triazaspiro[4.5]decane-6,8,10-trione **620965-98-2P**,  
 1-[6-[[2-(4-Methoxyphenyl)-1,2,3,4-tetrahydroisoquinolin-6-yl]oxy]pyridin-  
 3-yl]-1,7,9-triazaspiro[4.5]decane-6,8,10-trione **620965-99-3P**,  
 4-[6-[[5-(6,8,10-Trioxo-1,7,9-triazaspiro[4.5]dec-1-yl)pyridin-2-yl]oxy]-  
 3,4-dihydro-2H-quinolin-1-yl]benzonitrile **620966-00-9P**,  
 1-[6-[[1-(4-Methoxyphenyl)-1,2,3,4-tetrahydroquinolin-6-yl]oxy]pyridin-3-  
 yl]-1,7,9-triazaspiro[4.5]decane-6,8,10-trione **620966-01-0P**,  
 4-[7-[[5-(6,8,10-Trioxo-1,7,9-triazaspiro[4.5]dec-1-yl)pyridin-2-yl]oxy]-  
 2,3,4,5-tetrahydrobenzo[b]azepin-1-yl]benzonitrile **620966-02-1P**,  
 4-[5-[[5-(6,8,10-Trioxo-1,7,9-triazaspiro[4.5]dec-1-yl)pyridin-2-yl]oxy]-

1,3-dihydroisoindol-2-yl]benzonitrile **620966-03-2P**,  
 1-[6-[[1-(4-Chlorophenyl)-1,2,3,4-tetrahydroquinolin-6-yl]oxy]pyridin-3-yl]-1,7,9-triazaspiro[4.5]decane-6,8,10-trione **620966-04-3P**,  
 1-[6-[[1-(p-Tolyl)-1,2,3,4-tetrahydroquinolin-6-yl]oxy]pyridin-3-yl]-1,7,9-triazaspiro[4.5]decane-6,8,10-trione **620966-05-4P**,  
 4-[5-[[5-(6,8,10-Trioxo-1,7,9-triazaspiro[4.5]dec-1-yl)pyridin-2-yl]oxy]benzimidazol-1-yl]benzonitrile **620966-06-5P**,  
 1-[6-[[1-(3-Methoxypropyl)-2,3,4,5-tetrahydro-1H-benzo[b]azepin-7-yl]oxy]pyridin-3-yl]-1,7,9-triazaspiro[4.5]decane-6,8,10-trione **620966-07-6P**, 1-[6-[[1-(4-Chlorophenyl)-2,3,4,5-tetrahydro-1H-benzo[b]azepin-7-yl]oxy]pyridin-3-yl]-1,7,9-triazaspiro[4.5]decane-6,8,10-trione **620966-08-7P**, 1-[6-[[1-(p-Tolyl)-2,3,4,5-tetrahydro-1H-benzo[b]azepin-7-yl]oxy]pyridin-3-yl]-1,7,9-triazaspiro[4.5]decane-6,8,10-trione **620966-09-8P**, 1-[6-[[2-(4-Methoxyphenyl)-2,3-dihydro-1H-isoindol-5-yl]oxy]pyridin-3-yl]-1,7,9-triazaspiro[4.5]decane-6,8,10-trione **620966-10-1P**, 1-[6-[[1-(Pyridazin-3-yl)-1,2,3,4-tetrahydroquinolin-6-yl]oxy]pyridin-3-yl]-1,7,9-triazaspiro[4.5]decane-6,8,10-trione **620966-11-2P**, 1-[6-[[1-(Pyridin-2-yl)-1,2,3,4-tetrahydroquinolin-6-yl]oxy]pyridin-3-yl]-1,7,9-triazaspiro[4.5]decane-6,8,10-trione **620966-12-3P**, 1-[6-[[1-(p-Tolyl)-1H-indazol-5-yl]oxy]pyridin-3-yl]-1,7,9-triazaspiro[4.5]decane-6,8,10-trione **620966-13-4P**,  
 1-[6-[[1-(4-Methoxyphenyl)-2,3-dihydro-1H-indol-5-yl]oxy]pyridin-3-yl]-1,7,9-triazaspiro[4.5]decane-6,8,10-trione **620966-14-5P**,  
 1-[6-[[1-(Pyridazin-3-yl)-1H-benzimidazol-5-yl]oxy]pyridin-3-yl]-1,7,9-triazaspiro[4.5]decane-6,8,10-trione **620966-15-6P**,  
 1-[6-[[1-(Pyridazin-3-yl)-2,3-dihydro-1H-indol-5-yl]oxy]pyridin-3-yl]-1,7,9-triazaspiro[4.5]decane-6,8,10-trione **620966-16-7P**,  
 1-[6-[[1-(Pyridazin-3-yl)-1H-indazol-5-yl]oxy]pyridin-3-yl]-1,7,9-triazaspiro[4.5]decane-6,8,10-trione **620966-17-8P**,  
 1-[6-[[1-(Pyridin-2-yl)-1H-benzimidazol-5-yl]oxy]pyridin-3-yl]-1,7,9-triazaspiro[4.5]decane-6,8,10-trione **620966-18-9P**,  
 1-[6-[[1-(Pyridin-2-yl)-2,3-dihydro-1H-indol-5-yl]oxy]pyridin-3-yl]-1,7,9-triazaspiro[4.5]decane-6,8,10-trione **620966-19-0P**,  
 1-[6-[[1-(Pyridin-2-yl)-1H-indazol-5-yl]oxy]pyridin-3-yl]-1,7,9-triazaspiro[4.5]decane-6,8,10-trione **620966-20-3P**,  
 1-[6-[[1-(4-Methoxyphenyl)-1H-indazol-5-yl]oxy]pyridin-3-yl]-1,7,9-triazaspiro[4.5]decane-6,8,10-trione **620966-21-4P**,  
 1-[6-[[1-(4-Chlorophenyl)-1H-benzimidazol-5-yl]oxy]pyridin-3-yl]-1,7,9-triazaspiro[4.5]decane-6,8,10-trione **620966-22-5P**,  
 1-[6-[[1-(3-Methoxypropyl)-1H-benzimidazol-5-yl]oxy]pyridin-3-yl]-1,7,9-triazaspiro[4.5]decane-6,8,10-trione **620966-23-6P**,  
 1-[6-[[1-(3-Methoxypropyl)-2,3-dihydro-1H-indol-5-yl]oxy]pyridin-3-yl]-1,7,9-triazaspiro[4.5]decane-6,8,10-trione **620966-24-7P**,  
 1-[6-[[1-(3-Methoxypropyl)-1H-indazol-5-yl]oxy]pyridin-3-yl]-1,7,9-triazaspiro[4.5]decane-6,8,10-trione **620966-25-8P**,  
 1-[6-[[1-(4-Chlorophenyl)-2,3-dihydro-1H-indol-5-yl]oxy]pyridin-3-yl]-1,7,9-triazaspiro[4.5]decane-6,8,10-trione **620966-26-9P**,  
 1-[6-[[1-(4-Chlorophenyl)-1H-indazol-5-yl]oxy]pyridin-3-yl]-1,7,9-triazaspiro[4.5]decane-6,8,10-trione **620966-27-0P**,  
 1-[6-[[1-(p-Tolyl)-1H-benzimidazol-5-yl]oxy]pyridin-3-yl]-1,7,9-triazaspiro[4.5]decane-6,8,10-trione **620966-28-1P**,  
 1-[6-[[1-(p-Tolyl)-2,3-dihydro-1H-indol-5-yl]oxy]pyridin-3-yl]-1,7,9-triazaspiro[4.5]decane-6,8,10-trione

RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)


(drug candidate; preparation of N-substituted-heteroaryloxy-aryl-spiro-pyrimidinetrione metalloproteinase inhibitors selective towards MMP-13)

RN 620965-06-2 CAPLUS

CN 1,7,9-Triazaspiro[4.5]decane-6,8,10-trione, 1-[6-[[1-(4-fluorophenyl)-1H-


10/047,592

indazol-5-yl]oxy]-3-pyridinyl]- (9CI) (CA INDEX NAME)



RN 620965-13-1 CAPLUS


CN Benzonitrile, 4-[5-[[5-(6,8,10-trioxo-1,7,9-triazaspiro[4.5]dec-1-yl)-2-pyridinyl]oxy]-1H-indazol-1-yl]- (9CI) (CA INDEX NAME)



RN 620965-19-7 CAPLUS


CN 1,7,9-Triazaspiro[4.5]decane-6,8,10-trione, 1-[6-[[1-(3-pyridinyl)-1H-indazol-5-yl]oxy]-3-pyridinyl]- (9CI) (CA INDEX NAME)

10/047,592




RN 620965-26-6 CAPLUS

CN 1,7,9-Triazaspiro[4.5]decane-6,8,10-trione, 1-[6-[(1-methyl-1H-indazol-5-yl)oxy]-3-pyridinyl]- (9CI) (CA INDEX NAME)



RN 620965-33-5 CAPLUS


CN 1,7,9-Triazaspiro[4.5]decane-6,8,10-trione, 1-[6-[[1-(1-methylethyl)-1H-indazol-5-yl]oxy]-3-pyridinyl]- (9CI) (CA INDEX NAME)



10/047,592


RN 620965-35-7 CAPLUS

CN 1,7,9-Triazaspiro[4.5]decane-6,8,10-trione, 1-[6-[[2-(1-methylethyl)-2H-indazol-5-yl]oxy]-3-pyridinyl]- (9CI) (CA INDEX NAME)



RN 620965-36-8 CAPLUS


CN Benzonitrile, 4-[1,3-dihydro-5-[[5-(6,8,10-trioxo-1,7,9-triazaspiro[4.5]dec-1-yl)-2-pyridinyl]oxy]-2H-indazol-2-yl]- (9CI) (CA INDEX NAME)



RN 620965-38-0 CAPLUS


CN 1,7,9-Triazaspiro[4.5]decane-6,8,10-trione, 1-[6-[[2,3-dihydro-2-(2-hydroxyethyl)-1-oxo-1H-isoindol-5-yl]oxy]-3-pyridinyl]- (9CI) (CA INDEX NAME)

10/047,592





RN 620965-39-1 CAPLUS

CN 1,7,9-Triazaspiro[4.5]decane-6,8,10-trione, 1-[6-[[2-(2-ethoxyethyl)-2,3-dihydro-1-oxo-1H-isoindol-5-yl]oxy]-3-pyridinyl]- (9CI) (CA INDEX NAME)



RN 620965-40-4 CAPLUS

CN 1,7,9-Triazaspiro[4.5]decane-6,8,10-trione, 1-[6-[[2-(4-fluorophenyl)-1,2,3,4-tetrahydro-6-isoquinolinyl]oxy]-3-pyridinyl]- (9CI) (CA INDEX NAME)



chain nodes :

11 12 13 14 15 16 21

ring nodes :

1 2 3 4 5 6 7 8 9 10

chain bonds :

1-11 3-12 5-13 7-14 14-15 15-21 16-21

ring bonds :

1-2 1-6 2-3 3-4 4-5 4-7 4-10 5-6 7-8 8-9 9-10

exact/norm bonds :

1-2 1-6 1-11 2-3 3-4 3-12 4-5 4-7 4-10 5-6 5-13 7-8 7-14 8-9  
9-10 14-15 15-21 16-21

isolated ring systems :

containing 1 :

G1:C,S


G2:C,N

G3:C,O,S,N

Match level :

1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:Atom 7:Atom 8:Atom 9:Atom  
10:Atom 11:CLASS 12:CLASS 13:CLASS 14:Atom 15:CLASS 16:Atom  
21:CLASS







REFERENCE COUNT: 2 THERE ARE 2 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L3 ANSWER 3 OF 4 CAPLUS COPYRIGHT 2004 ACS on STN  
 ACCESSION NUMBER: 2003:875287 CAPLUS  
 DOCUMENT NUMBER: 139:364953  
 TITLE: Preparation of spirobarbituric acid derivatives useful as inhibitors of matrix metalloproteases.  
 INVENTOR(S): Pitts, William J.; Kim, Soong-hoon; Barbosa, Joseph; Vaccaro, Wayne  
 PATENT ASSIGNEE(S): Bristol-Myers Squibb Company, USA  
 SOURCE: PCT Int. Appl., 75 pp.  
 CODEN: PIXXD2  
 DOCUMENT TYPE: Patent  
 LANGUAGE: English  
 FAMILY ACC. NUM. COUNT: 1  
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2003091252	A1	20031106	WO 2003-US12898	20030424
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
US 2004024001	A1	20040205	US 2003-423788	20030425
PRIORITY APPLN. INFO.:			US 2002-375336P	P 20020425
			US 2002-428355P	P 20021122
OTHER SOURCE(S):			MARPAT 139:364953	
GI				

*Date not good*

*10/423788*



AB Spirobarbituric acids I [A, B, D = O, S; one of R1 and R2 = H, the other = H, alkyl, alkenyl; X = S, -S(O), SO, (un)substituted NH; G1 = CO, (un)substituted CH2, NH, CH:, N:; G2 = O, CO, (un)substituted CH2, NH, N:, CH:, :N, :CH; G# = (un)substituted CH2, NH, N:, CH:, :CH, :N; G4 = bond, (un)substituted CH2, CH2CH2, :CH] were prepared for use as inhibitors of MMPs, particularly MMP-13, aggrecanase, and/or TACE (no data). Thus, 4-BrC6H4NH2 was treated with BrCH(CO2Et)2 to give 4-BrC6H4NHCH(CO2Et)2 which was cyclized to 1-(4-bromophenyl)-5,5-diethoxycarbonylpyrrolidin-2-one which was treated with urea to give the spirobarbiturate II.


IT 620628-27-5P

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)

(preparation of spirobarbituric acid derivs. useful as inhibitors of matrix metalloproteases)

RN 620628-27-5 CAPLUS

CN 1,7,9-Triazaspiro[4.5]decane-2,6,8,10-tetrone, 1-[4-(phenylmethoxy)phenyl]-(9CI) (CA INDEX NAME)



IT 620628-01-5P 620628-04-8P 620628-05-9P  
620628-06-0P 620628-08-2P 620628-09-3P  
620628-10-6P 620628-11-7P 620628-12-8P  
620628-13-9P 620628-14-0P 620628-15-1P  
620628-16-2P 620628-17-3P 620628-18-4P  
620628-19-5P 620628-20-8P 620628-21-9P  
620628-22-0P 620628-23-1P


RL: SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)

(preparation of spirobarbituric acid derivs. useful as inhibitors of matrix metalloproteases)

RN 620628-01-5 CAPLUS


CN 1,7,9-Triazaspiro[4.5]decane-2,6,8,10-tetrone, 1-[1,1'-biphenyl]-4-yl-(9CI) (CA INDEX NAME)

10/047,592




RN 620628-04-8 CAPLUS

CN 1,7,9-Triazaspiro[4.5]decane-2,6,8,10-tetrone, 1-[4-(4-(methylthio)phenoxy)phenyl]- (9CI) (CA INDEX NAME)



RN 620628-05-9 CAPLUS

CN 1,7,9-Triazaspiro[4.5]decane-2,6,8,10-tetrone, 3-methyl-1-(4-phenoxyphenyl)- (9CI) (CA INDEX NAME)




10/047,592

RN 620628-06-0 CAPLUS


CN 1,7,9-Triazaspiro[4.5]decane-2,6,8,10-tetrone, 4-ethyl-1-(4-phenoxyphenyl)-, (4R)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 620628-08-2 CAPLUS


CN 1,7,9-Triazaspiro[4.5]decane-2,6,8,10-tetrone, 1-[4-[(4-phenoxyphenyl)amino]phenyl]- (9CI) (CA INDEX NAME)



RN 620628-09-3 CAPLUS


CN Benzoic acid, 4-[4-(2,6,8,10-tetraoxo-1,7,9-triazaspiro[4.5]dec-1-yl)phenoxy]-, methyl ester (9CI) (CA INDEX NAME)

10/047,592



RN 620628-10-6 CAPLUS


CN Benzoic acid, 4-[4-(2,6,8,10-tetraoxo-1,7,9-triazaspiro[4.5]dec-1-yl)phenoxy]- (9CI) (CA INDEX NAME)



RN 620628-11-7 CAPLUS


CN 1,7,9-Triazaspiro[4.5]decane-2,6,8,10-tetrone, 1-[4-(4-dibenzofuranyloxy)phenyl]- (9CI) (CA INDEX NAME)

10/047,592



RN 620628-12-8 CAPLUS


CN 1,7,9-Triazaspiro[4.5]decane-2,6,8,10-tetrone, 1-[4-(2-methoxyphenoxy)phenyl]- (9CI) (CA INDEX NAME)



RN 620628-13-9 CAPLUS


CN 1,7,9-Triazaspiro[4.5]decane-2,6,8,10-tetrone, 1-[4-(3-methoxyphenoxy)phenyl]- (9CI) (CA INDEX NAME)

10/047,592



RN 620628-14-0 CAPLUS


CN 1,7,9-Triazaspiro[4.5]decane-2,6,8,10-tetrone, 1-[4-[4-(trifluoromethoxy)phenoxy]phenyl]- (9CI) (CA INDEX NAME)



RN 620628-15-1 CAPLUS


CN 1,7,9-Triazaspiro[4.5]decane-2,6,8,10-tetrone, 1-[4-(4-acetylphenoxy)phenyl]- (9CI) (CA INDEX NAME)

10/047,592



RN 620628-16-2 CAPLUS

CN 1,7,9-Triazaspiro[4.5]decane-2,6,8,10-tetrone, 1-[4-[(6-methoxy-3-pyridinyl)oxy]phenyl]- (9CI) (CA INDEX NAME)




RN 620628-17-3 CAPLUS

CN 1,7,9-Triazaspiro[4.5]decane-2,6,8,10-tetrone, 1-[4-(3-nitrophenoxy)phenyl]- (9CI) (CA INDEX NAME)




10/047,592



RN 620628-18-4 CAPLUS


CN 1,7,9-Triazaspiro[4.5]decane-2,6,8,10-tetrone, 1-[4-[4-(trifluoromethyl)phenoxy]phenyl]- (9CI) (CA INDEX NAME)



RN 620628-19-5 CAPLUS


CN 1,7,9-Triazaspiro[4.5]decane-2,6,8,10-tetrone, 1-[4-(4-phenoxyphenoxy)phenyl]- (9CI) (CA INDEX NAME)

10/047,592



RN 620628-20-8 CAPLUS


CN 1,7,9-Triazaspiro[4.5]decane-2,6,8,10-tetrone, 1-[4-[4-(methylsulfonyl)phenoxy]phenyl]- (9CI) (CA INDEX NAME)



RN 620628-21-9 CAPLUS


CN 1,7,9-Triazaspiro[4.5]decane-2,6,8,10-tetrone, 1-[4-(4-ethenylphenoxy)phenyl]- (9CI) (CA INDEX NAME)

10/047,592



RN 620628-22-0 CAPLUS


CN 1,7,9-Triazaspiro[4.5]decane-2,6,8,10-tetrone, 1-[4-[(2-methyl-4-quinolinyl)methoxy]phenyl]- (9CI) (CA INDEX NAME)



RN 620628-23-1 CAPLUS

CN 1,7,9-Triazaspiro[4.5]decane-2,6,8,10-tetrone, 4-ethyl-1-(4-phenoxyphenyl)-, (4S)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



REFERENCE COUNT: 2 THERE ARE 2 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L3 ANSWER 4 OF 4 CAPLUS COPYRIGHT 2004 ACS on STN

ACCESSION NUMBER: 2002:332195 CAPLUS

DOCUMENT NUMBER: 136:340695

TITLE: Preparation of 1-aryl-1,7,9-triazaspiro[4.5]decanetetraones and analogs as metalloproteinase inhibitors

INVENTOR(S): Bronk, Brian Scott; Noe, Mark Carl; Wythes, Martin James

PATENT ASSIGNEE(S): Pfizer Products Inc., USA

SOURCE: PCT Int. Appl., 75 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2002034753	A2	20020502	WO 2001-IB1986	20011023
WO 2002034753	A3	20020815		
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				
RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
AU 2002010813	A5	20020506	AU 2002-10813	20011023
US 2003096803	A1	20030522	US 2001-47592	20011023
BR 2001014913	A	20030701	BR 2001-14913	20011023
EP 1332146	A2	20030806	EP 2001-978721	20011023
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR				
EE 200300196	A	20031015	EE 2003-196	20011023
BG 107653	A	20031231	BG 2003-107653	20030320
NO 2003001853	A	20030623	NO 2003-1853	20030424
HR 2003000332	A1	20030630	HR 2003-332	20030428
PRIORITY APPLN. INFO.:				
			US 2000-243389P	P 20001026
			WO 2001-IB1986	W 20011023

*Present  
case*

10/047,592

OTHER SOURCE(S): MARPAT 136:340695

AB Title compds. were prepared Thus, 6-(4-bromophenoxy)pyridine-3-amine was cyclocondensed with  $\text{BrCH}(\text{CO}_2\text{Et})_2$  and  $\text{BrCH}_2\text{CH}_2\text{COCl}$  and the product cyclocondensed with  $(\text{H}_2\text{N})_2\text{CO}$  to give 1-[6-(4-bromophenoxy)-3-pyridinyl]-1,7,9-triazaspiro[4.5]decane-2,6,8,10-tetraone. Data for biol. activity of title compds. were given.


IT 418760-71-1P 418760-72-2P 418760-74-4P  
418760-75-5P 418760-76-6P 418760-77-7P  
418760-78-8P 418760-79-9P 418760-81-3P  
418760-83-5P 418760-84-6P

RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)

(preparation of 1-aryl-1,7,9-triazaspiro[4.5]decanetetraones and analogs as metalloproteinase inhibitors)

RN 418760-71-1 CAPLUS


CN 1,7,9-Triazaspiro[4.5]decane-2,6,8,10-tetrone, 1-[6-(4-bromophenoxy)-3-pyridinyl]- (9CI) (CA INDEX NAME)



RN 418760-72-2 CAPLUS


CN 1,7,9-Triazaspiro[4.5]decane-2,6,8,10-tetrone, 1-[6-(4-fluorophenoxy)-3-pyridinyl]- (9CI) (CA INDEX NAME)

10/047,592



RN 418760-74-4 CAPLUS


CN Benzonitrile, 4-[[5-(2,6,8,10-tetraoxo-1,7,9-triazaspiro[4.5]dec-1-yl)-2-pyridinyl]oxy]- (9CI) (CA INDEX NAME)




RN 418760-75-5 CAPLUS

CN 1,7,9-Triazaspiro[4.5]decane-2,6,8,10-tetrone, 1-[6-[4-(1,3,4-oxadiazol-2-yl)phenoxy]-3-pyridinyl]- (9CI) (CA INDEX NAME)

10/047,592




RN 418760-76-6 CAPLUS  
CN 1,7,9-Triazaspiro[4.5]decane-2,6,8,10-tetrone, 1-[6-(4-ethylphenoxy)-3-pyridinyl]- (9CI) (CA INDEX NAME)




RN 418760-77-7 CAPLUS  
CN Acetamide, N-[[4-[[5-(2,6,8,10-tetraoxo-1,7,9-triazaspiro[4.5]dec-1-yl)-2-pyridinyl]oxy]phenyl]methyl]- (9CI) (CA INDEX NAME)

10/047,592



RN 418760-78-8 CAPLUS

CN Propanamide, N-[[4-[[5-(2,6,8,10-tetraoxo-1,7,9-triazaspiro[4.5]dec-1-yl)-2-pyridinyl]oxy]phenyl]methyl]- (9CI) (CA INDEX NAME)




RN 418760-79-9 CAPLUS

CN Butanamide, N-[[4-[[5-(2,6,8,10-tetraoxo-1,7,9-triazaspiro[4.5]dec-1-yl)-2-pyridinyl]oxy]phenyl]methyl]- (9CI) (CA INDEX NAME)




10/047,592





RN 418760-81-3 CAPLUS

CN Pentanamide, N-[[4-[[5-(2,6,8,10-tetraoxo-1,7,9-triazaspiro[4.5]dec-1-yl)-2-pyridinyl]oxy]phenyl]methyl]- (9CI) (CA INDEX NAME)





RN 418760-83-5 CAPLUS

CN Cyclobutanecarboxamide, N-[[4-[[5-(2,6,8,10-tetraoxo-1,7,9-triazaspiro[4.5]dec-1-yl)-2-pyridinyl]oxy]phenyl]methyl]- (9CI) (CA INDEX NAME)



RN 418760-84-6 CAPLUS  
 CN 1,7,9-Triazaspiro[4.5]decane-2,6,8,10-tetrone, 1-[6-[4-(1H-pyrazol-1-ylmethyl)phenoxy]-3-pyridinyl]- (9CI) (CA INDEX NAME)



=&gt; file reg

COST IN U.S. DOLLARS

SINCE FILE	TOTAL
ENTRY	SESSION
19.90	175.53

FULL ESTIMATED COST

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)

SINCE FILE	TOTAL
ENTRY	SESSION
-2.77	-2.77

CA SUBSCRIBER PRICE

FILE 'REGISTRY' ENTERED AT 18:09:11 ON 07 MAY 2004

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2004 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file  
provided by InfoChem.

STRUCTURE FILE UPDATES: 6 MAY 2004 HIGHEST RN 680568-77-8  
DICTIONARY FILE UPDATES: 6 MAY 2004 HIGHEST RN 680568-77-8

10/047,592

TSCA INFORMATION NOW CURRENT THROUGH JANUARY 6, 2004

Please note that search-term pricing does apply when conducting SmartSELECT searches.

Crossover limits have been increased. See HELP CROSSOVER for details.

Experimental and calculated property data are now available. For more information enter HELP PROP at an arrow prompt in the file or refer to the file summary sheet on the web at:

<http://www.cas.org/ONLINE/DBSS/registryss.html>